


Ship: 11825.000Kg  
 Sx: 0.0mm  
 Sy: 307.0mm  
 Sz: -7344.0mm  
 Tanks: 0.000Kg  
 Tx: 0.0mm  
 Ty: 0.0mm  
 Tz: 0.0mm

AP @: -13000.0mm  
 FP @: 0.0mm  
 K Point at: 0.0mm  
 KMt: 2166.3mm  
 Total Load: 11825.000Kg  
 TLx: 0.0mm  
 TLy: 307.0mm  
 TLz: -7344.0mm

AP Draft: 14.3mm  
 FP Draft: -23.3mm  
 Trim: 37.6mm  
 Heel: 0.000°  
 GM0: 1859.3mm  
 UMt: 383857.6Kg.mm  
 Freeboard: 1066.0mm  
 Downflooding: 130.035°



GZ Max @ 48.776° > 25.0°


[0°, 30°] Area = 0.209 > 0.055 m.rad  
 [0°, 40°] Area = 0.337 > 0.090 m.rad  
 [30°, 40°] Area = 0.127 > 0.030 m.rad

GM0 = 1859.3mm > 150.0mm  
 GZ Max = 797.1mm  
 GZ 30° = 681.7mm > 200.0mm

Ship: 11835.000Kg  
 Sx: 0.0mm  
 Sy: 339.0mm  
 Sz: -7337.0mm  
 Tanks: 0.000Kg  
 Tx: 0.0mm  
 Ty: 0.0mm  
 Tz: 0.0mm

AP @: -13000.0mm  
 FP @: 0.0mm  
 K Point at: 0.0mm  
 KMt: 2164.5mm  
 Total Load: 11835.000Kg  
 TLx: 0.0mm  
 TLy: 339.0mm  
 TLz: -7337.0mm

AP Draft: 13.0mm  
 FP Draft: -20.9mm  
 Trim: 33.8mm  
 Heel: 0.000°  
 GM0: 1825.5mm  
 UMt: 377168.4Kg.mm  
 Freeboard: 1067.3mm  
 Downflooding: 130.244°



GZ Max @ 48.300° > 25.0°


[0°, 30°] Area = 0.205 > 0.055 m.rad  
 [0°, 40°] Area = 0.329 > 0.090 m.rad  
 [30°, 40°] Area = 0.123 > 0.030 m.rad

GM0 = 1825.5mm > 150.0mm  
 GZ Max = 772.1mm  
 GZ 30° = 665.0mm > 200.0mm

Ship: 12169.000Kg  
 Sx: 0.0mm  
 Sy: 352.0mm  
 Sz: -7360.0mm  
 Tanks: 0.000Kg  
 Tx: 0.0mm  
 Ty: 0.0mm  
 Tz: 0.0mm

AP @: -13000.0mm  
 FP @: 0.0mm  
 K Point at: 0.0mm  
 KMt: 2154.2mm  
 Total Load: 12169.000Kg  
 TLx: 0.0mm  
 TLy: 352.0mm  
 TLz: -7360.0mm

AP Draft: 24.7mm  
 FP Draft: -17.6mm  
 Trim: 42.3mm  
 Heel: 0.000°  
 GM0: 1802.2mm  
 UMt: 382746.4Kg.mm  
 Freeboard: 1055.4mm  
 Downflooding: 127.028°




GZ Max @ 48.309° > 25.0°      [0°, 30°] Area = 0.203 > 0.055 m.rad      GM0 = 1802.2mm > 150.0mm  
 [0°, 40°] Area = 0.326 > 0.090 m.rad      GZ Max = 765.1mm  
 [30°, 40°] Area = 0.122 > 0.030 m.rad      GZ 30° = 660.0mm > 200.0mm

Ship: 12179.000Kg  
 Sx: 0.0mm  
 Sy: 383.0mm  
 Sz: -7353.0mm  
 Tanks: 0.000Kg  
 Tx: 0.0mm  
 Ty: 0.0mm  
 Tz: 0.0mm

AP @: -13000.0mm  
 FP @: 0.0mm  
 K Point at: 0.0mm  
 KMt: 2152.3mm  
 Total Load: 12179.000Kg  
 TLx: 0.0mm  
 TLy: 383.0mm  
 TLz: -7353.0mm

AP Draft: 23.4mm  
 FP Draft: -15.1mm  
 Trim: 38.5mm  
 Heel: 0.000°  
 GM0: 1769.4mm  
 UMT: 376084.7Kg.mm  
 Freeboard: 1056.8mm  
 Downflooding: 127.241°



GZ Max @ 47.763° > 25.0°

[0°, 30°] Area = 0.199 > 0.055 m.rad  
 [0°, 40°] Area = 0.319 > 0.090 m.rad  
 [30°, 40°] Area = 0.119 > 0.030 m.rad

GM0 = 1769.4mm > 150.0mm  
 GZ Max = 741.2mm  
 GZ 30° = 643.8mm > 200.0mm